

Publishing: 12 August 2024
Effective: from 13 August 2024
Applicable: from 18 August 2024

TEXT

1. 1.5.1 Validity, publishing and updating of Network Statement

The following modification was made:

This Network Statement is valid from 00:00 of ~~13~~ **18** August 2024 to 24:00 of 14 December 2024.

ANNEXES

2. 7.3.7 - Wagon weigh bridges (scales) - MÁV Zrt.

The following modification was made:

Number	Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scales (yes/no)	Remarks	Effective till
22.	Karcag	13847	100 t	9+3+9 m	electronic	ARDIN (D43-09B)	0-24	15.jan	yes	for authentic dynamic measurement only given for information	30.05.2024 29.07.2026
26.	Püspökladány	13862	100 t	9,5+1,5+9,5m	electronic	SCHENCK	0-24	10	no	waiting for repair	31.07.2026 31.07.2026
27.	Törökszentmiklós	13789	100 t	9+3+9m	electronic	ARDIN (D43-09B)	0-24	10	yes	for authentic dynamic measurement only given for information	26.05.2024 26.07.2026

3. 7.3.10 - Refuelling facilities - MÁV Zrt.

The following modification was made:

Regional Storage Centre, Site of Supply	Code of the service place	Service time		
		Day	Start	End
Hegyeshalom****	01362	③	09:00	12:00
Komárom	01222	daily	11:00	24:00
Komárom***	01222	daily	11:00	24:00 01:00
Nagykanizsa	03624	① ② ③ ④ ⑤ ⑥	11:00	22:00
		⑦	13:00	24:00
Nagykanizsa****	03624	daily	14:00	01:00
Tapolca	04598	daily	12:00	24:00
Tapolca**	04598	daily	12:00 08:00	24:00

** to 01.09.2024

*** to 07.10.2024.

**** between 01.09.2024 - 31.10.2024

***** to 31.08.2024

4. 7.3.11 - Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modification was made:

Budapest Regional Directorate															
Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place From section to section	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?	Axle load (t)	
					yes-no partly	yes-no	Length (m)	Width (m)							
Bicske	01081	474+42-477+35 482+84 - 483+10	none end loading	HU-01081-06-T112	yes no	yes no	460 26	45 10	55-01081-01-12	12.	250 300	460 26	no	21	"B"-signed The loading area is can't be use due to recontusion, capacity can't be requested.
Bicske	01081	480+00 - 483+81	end loading	HU-01081-06-H13	yes	yes	381	15	55-01081-01-13	13.	300	300	no	21	
Bicske	01081	481+78 - 483+74	none	HU-01081-06-T16	yes	yes	196	12	55-01081-01-16	16.	350	150	no	21	
Bicske	01081	474+50-475+70	side loading	HU-01081-19-001	yes	yes	420	44	55-01081-01-1	01-(O)	752	420	no	21	"K"-signed The loading area is can't be use due to recontusion, capacity can't be requested.
Nagymaros	10488	519+25-520+15	side loading	HU-10488-19-001	yes	yes	90	11	55-10488-01-1	01.(O)	797	90	yes	20 21	Loading area can't be used between 23.09.2024 - 13.10.2024. Capacity can not be requested.
Nagymaros	10488	515+63-516+63	none	HU-10488-06-T01	no	no	100	10	55-10488-01-1	01.	797	100	no	20 21	Loading area can't be used between 23.09.2024 - 13.10.2024. Capacity can not be requested.

Pécs Regional Directorate															
Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place From section to section	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?	Axle load (t)	
					yes-no partly	yes-no	Length (m)	Width (m)							
Marcali	08599	221+31-222+71	none	HU-08599-06-T04	yes	yes	140	44 6	55-08599-01-4	4.	263	140	no	18,5	